




KOŁA ŁAŃCUCHOWE POD TULEJĘ STOŻKOWĄ TAPER LOCK




1




2



3



4



5

3/8" x 7/32" 06B-1-2-3 9,525 x 5,72 mm

ŁAŃCUCH

	Podziałka	Szerokość wew.	Rolka Ø
ISO mm	9,52	5,72	6,35

KOŁO ŁAŃCUCHOWE


	r	C	h ₁	L	h ₂	h ₃	H
ISO mm	10	1	5,3	5,2	15,4	25,6	-




Mat. Stal C45 E - UNI EN 10083-1

Z	De	Dp	1 - rzędowe				2 - rzędowe				3 - rzędowe			
			d	H	TULEJA	TYP	d	H	TULEJA	TYP	d	H	TULEJA	TYP
17	55,3	51,83	45	22	1008	1	41	22	1008	2	-	25,6	1008	5
18	58,3	54,85	45	22	1008	1	42	22	1008	2	-	-	-	-
19	61,3	57,87	45	22	1008	1	46	22	1008	2	-	25,6	1008	5
20	64,3	60,89	46	22	1008	1	48	22	1008	2	-	-	-	-
21	68,0	63,91	46	22	1008	1	49	22	1008	2	-	25,6	1008	5
22	71,0	66,93	50	22	1108	1	52	22	1108	2	-	-	-	-
23	73,5	69,95	63	25	1210	1	59	25	1210	2	-	-	1210	5
24	77,0	72,97	63	25	1210	1	61	25	1210	2	-	-	-	-
25	80,0	76,02	63	25	1210	1	64	25	1210	2	-	25,6	1210	5
26	83,0	79,02	63	25	1210	1	65	25	1210	2	-	-	-	-
27	86,0	82,02	63	25	1210	1	70	25	1210	2	-	25,6	1210	5
28	89,0	85,07	63	25	1210	1	70	25	1210	2	-	-	-	-
30	94,7	91,12	63	25	1210	1	75	25	1210	2	79	38	1615	4
38	119,5	115,35	70	25	1210	1	80	25	1610	2	90	38	1615	4
45	140,7	136,55	70	25	1210	1	80	25	1610	2	-	-	-	-
57	176,9	172,91	70	25	1210	1	80	25	1610	2	-	-	-	-
76	234,9	230,49	70	25	1210	1	80	25	1610	2	-	-	-	-
95	292,5	288,08	80	25	1210	1	90	25	1610	2	-	-	-	-
114	349,5	345,68	80	38	1215	1	95	38	1615	2	-	-	-	-


KOŁA ŁAŃCUCHOWE POD TULEJĘ STOŻKOWĄ TAPER LOCK




1




2



3



4



5

1/2" x 5/16" 12,7 x 7,75 mm - DIN 8187

ŁAŃCUCH

	Podziałka	Szerokość wew.	Rolka Ø
ISO mm	12,0	7,75	8,51

KOŁO ŁAŃCUCHOWE


	r	C	h ₁	L	h ₂	h ₃	H
ISO mm	13	1,3	7,2	7,0	21,0	34,9	-




Mat. Stal C45 E - UNI EN 10083-1

Z	De	Dp	1 - rzędowe				2 - rzędowe				3 - rzędowe			
			d	H	TULEJA	TYP	d	H	TULEJA	TYP	d	H	TULEJA	TYP
15	65,5	61,90	45	22	1008	1	46	22	1008	2	-	34,9	1008	5
16	69,5	65,10	50	22	1108	1	50	22	1108	2	-	-	-	-
17	73,6	69,11	60	25	1210	1	56	25	1210	2	-	34,9	1210	5
18	77,8	73,14	60	25	1210	1	60	25	1210	2	-	-	-	-
19	81,7	77,16	63	25	1210	1	62	25	1210	2	-	34,9	1210	5
20	85,8	81,19	71	25	1610	1	66	25	1610	2	-	-	-	-
21	89,7	85,22	71	25	1610	1	70	25	1610	2	-	34,9	1610	5
22	93,8	89,24	71	25	1610	1	76	25	1610	2	-	-	-	-
23	98,2	93,27	76	25	1610	1	79	25	1610	2	-	34,9	1610	5
24	101,8	97,29	76	25	1610	1	84	25	1610	2	-	-	-	-
25	105,8	101,33	76	25	1610	1	87	32	2012	2	-	34,9	2012	5
26	110,0	105,36	76	25	1610	1	87	32	2012	2	-	-	-	-
27	114,4	109,40	76	25	1610	1	87	32	2012	2	-	34,9	2012	5
28	118,0	113,42	90	32	2012	1	87	32	2012	2	-	-	-	-
30	126,1	121,50	90	32	2012	1	87	32	2012	2	-	34,9	2012	5
38	158,6	153,80	90	32	2012	1	100	32	2012	2	-	34,9	2012	5
45	188,0	182,07	100	32	2012	1	100	32	2012	2	-	-	-	-
57	236,4	230,54	100	32	2012	1	100	32	2012	2	-	-	-	-
76	313,3	307,33	100	32	2012	1	100	32	2012	2	-	-	-	-
95	390,1	384,11	100	32	2012	1	100	32	2012	2	-	-	-	-
114	466,9	460,90	110	45	2017	1	110	45	2517	2	-	-	-	-


KOŁA ŁAŃCUCHOWE POD TULEJĘ STOŻKOWĄ TAPER LOCK




1




2



3



4



5

5/8" x 3/8" 10B-1-2-3 15,875 x 9,65 mm

ŁAŃCUCH

	Podziałka	Szerokość wew.	Rolka Ø
ISO mm	15,87	9,650	10,16

KOŁO ŁAŃCUCHOWE


	r	C	h ₁	L	h ₂	h ₃	H
ISO mm	16	1,6	9,1	9,0	25,5	42,1	-




Mat. Stal C45 E - UNI EN 10083-1

Z	De	Dp	1 - rzędowe				2- rzędowe				3 - rzędowe			
			d	H	TULEJA	TYP	d	H	TULEJA	TYP	d	H	TULEJA	TYP
13	73,0	66,32	47	22	1008	1	-	25,5	1210	3	-	-	-	-
14	78,0	71,34	52	22	1108	1	-	-	-	-	-	-	-	-
15	83,0	76,36	60	25	1210	1	-	25,5	1210	3	-	42,1	1210	5
16	88,0	81,37	70	25	1610	1	-	-	-	-	-	-	-	-
17	93,0	86,36	71	25	1610	1	-	25,5	1610	3	-	42,1	1210	5
18	98,3	91,42	75	25	1610	1	-	-	-	-	-	-	-	-
19	103,3	96,45	75	25	1610	1	-	25,5	1610	3	-	42,1	1615	5
20	108,4	101,49	75	25	1610	1	-	25,5	1610	3	-	-	-	-
21	113,4	106,52	76	25	1610	1	-	25,5	1610	3	-	42,1	1615	5
22	118,0	111,55	76	25	1610	1	-	25,5	1610	3	-	-	-	-
23	123,4	116,58	76	25	1610	1	-	25,5	1610	3	-	42,1	2012	5
24	128,3	121,62	90	32	2012	1	-	-	-	-	-	-	-	-
25	134,0	126,66	90	32	2012	1	90	32,0	2012	2	105	45,0	2517	4
26	139,0	131,70	90	32	2012	1	-	-	-	-	-	-	-	-
27	144,0	136,75	90	32	2012	1	90	32,0	2012	2	110	45,0	2517	4
28	148,7	141,78	90	32	2012	1	-	-	-	-	-	-	-	-
30	158,8	151,87	90	32	2012	1	90	32,0	2012	2	120	45,0	2517	4
38	199,2	192,24	100	32	2012	1	108	45,0	2517	2	-	-	-	-
45	235,0	227,58	100	32	2012	1	-	-	-	-	-	-	-	-
57	296,0	288,18	100	32	2012	1	-	-	-	-	-	-	-	-
76	392,1	384,16	100	32	2012	1	-	-	-	-	-	-	-	-
95	488,5	480,14	110	45	2517	1	-	-	-	-	-	-	-	-
114	584,1	576,13	110	45	2517	1	-	-	-	-	-	-	-	-


KOŁA ŁAŃCUCHOWE POD TULEJĘ STOŻKOWĄ TAPER LOCK




1




2



3



4



5

3/4" x 7/16" 12B -1-2-3 19,05 x 11,68 mm

ŁAŃCUCH

	Podziałka	Szerokość wew.	Rolka Ø
ISO mm	19,0	11,6	12,0

KOŁO ŁAŃCUCHOWE


	r	C	h ₁	L	h ₂	h ₃	H
ISO mm	19	2,0	11,1	10,8	30,3	49,8	-




Mat. Stal C45 E - UNI EN 10083-1

Z	De	Dp	1 - rzędowe				2 - rzędowe				3 - rzędowe			
			d	H	TULEJA	TYP	d	H	TULEJA	TYP	d	H	TULEJA	TYP
13	87,5	79,59	60	25	1210	1	-	-	-	-	-	-	-	-
14	93,6	85,61	70	25	1610	1	-	-	-	-	-	-	-	-
15	99,8	91,63	70	25	1610	1	-	30,3	1610	3	-	49,8	1615	5
16	105,5	97,65	75	25	1610	1	-	30,3	1610	3	-	0	0	0
17	111,5	103,67	76	25	1610	1	-	30,3	1610	3	-	49,8	2012	5
18	118,0	109,71	90	32	2012	1	90	32	2012	2	-	0	0	0
19	124,2	115,75	90	32	2012	1	90	32	2012	2	-	49,8	2012	5
20	129,7	121,78	90	32	2012	1	108	45	2517	2	-	0	0	0
21	136,0	127,82	102	45	2517	1	108	45	2517	2	-	49,8	2517	5
22	141,8	133,86	102	45	2517	1	108	45	2517	2	-	0	0	0
23	149,0	139,90	108	45	2517	1	108	45	2517	2	-	49,8	2517	5
24	153,9	145,94	108	45	2517	1	108	45	2517	2	-	0	0	0
25	160,0	152,00	108	45	2517	1	108	45	2517	2	-	49,8	2517	5
26	165,9	158,04	108	45	2517	1	108	45	2517	2	-	0	0	0
27	172,3	164,00	108	45	2517	1	108	45	2517	2	140	51	3020	4
28	178,0	170,13	108	45	2517	1	108	45	2517	2	-	-	-	-
30	190,5	182,25	108	45	2517	1	108	45	2517	2	140	51	3020	4
38	239,0	230,69	108	45	2517	1	140	51	3020	2	140	51	3020	4
45	282,5	273,10	108	45	2517	1	140	51	3020	2	140	51	3020	4
57	355,4	345,81	108	45	2517	1	140	51	3020	2	140	51	3020	4
76	469,9	460,99	108	45	2517	1	140	51	3020	2	140	51	3020	4
95	585,1	576,17	108	45	2517	1	140	51	3020	2	-	-	-	-
114	700,6	691,36	108	64	2525	1	-	-	-	-	-	-	-	-


KOŁA ŁAŃCUCHOWE POD TULEJĘ STOŻKOWĄ TAPER LOCK




1




2



3



4



5

1" x 17/02mm 16B -1-2-3 25,4 x 17,2 mm

ŁAŃCUCH

	Podziałka	Szerokość wew.	Rolka Ø
ISO mm	25,4	17,0	15,8

KOŁO ŁAŃCUCHOWE


	r	C	h ₁	L	h ₂	h ₃	H
ISO mm	26,0	2,5	16,2	15,8	47,7	79,6	-




Mat. Stal C45 E - UNI EN 10083-1

Z	De	Dp	1 - rzędowe				2 - rzędowe				3 - rzędowe			
			d	H	TULEJA	TYP	d	H	TULEJA	TYP	d	H	TULEJA	TYP
13	117,0	106,12	73	25	1610	1	-	47,7	2012	3	-	-	-	-
14	125,0	114,15	76	25	1610	1	-	-	-	-	-	-	-	-
15	133,0	122,17	76	25	1610	1	-	47,7	2012	3	-	-	-	-
16	141,0	130,20	90	32	2012	1	-	-	-	-	-	-	-	-
17	149,0	138,22	90	32	2012	1	-	47,7	2517	3	-	79,6	2517	5
18	157,0	146,28	108	45	2517	1	-	-	-	-	-	-	-	-
19	165,2	154,33	108	45	2517	1	-	47,7	2517	3	-	79,6	3020	5
20	173,2	162,38	108	45	2517	1	-	-	-	-	-	-	-	-
21	181,2	170,43	110	45	2517	1	140	51	3020	2	-	79,6	3030	5
22	189,3	178,48	110	45	2517	1	-	-	-	-	-	-	-	-
23	197,5	186,53	110	45	2517	1	140	51	3020	2	-	79,6	3525	5
24	205,5	194,59	110	45	2517	1	-	-	-	-	-	-	-	-
25	213,5	202,66	110	45	2517	1	140	51	3020	2	-	79,6	3525	5
26	221,6	210,72	110	45	2517	1	-	-	-	-	-	-	-	-
27	229,6	218,79	110	45	2517	1	140	51	3020	2	-	79,6	3525	5
28	237,7	226,85	110	45	2517	1	-	-	-	-	-	-	-	-
30	254,0	243,00	140	51	3020	1	140	51	3020	2	-	79,6	3525	5
38	320,7	307,59	140	51	3020	1	140	51	3020	2	-	79,6	3525	5
45	377,1	364,13	140	51	3020	1	140	51	3020	2	216	79,6	4030	4
57	474,0	461,07	140	51	3020	1	175	65	3525	2	216	79,6	4030	4
76	627,0	614,65	140	51	3020	1	175	65	3525	2	216	79,6	4030	4
95	781,1	768,22	140	51	3020	1	215	65	3525	2	240	79,6	4030	4
114	934,3	921,81	140	76	3030	1	215	102	4040	2	-	-	-	-


KOŁA ŁAŃCUCHOWE POD TULEJĘ STOŻKOWĄ TAPER LOCK




1




2



3



4



5

1" 1,4 x 3/4" 20B-1-2-3 31,75 x 19,56 mm

ŁAŃCUCH

	Podziałka	Szerokość wew.	Rolka Ø
ISO mm	31,7	19,5	19,0

KOŁO ŁAŃCUCHOWE

	r	C	h ₁	L	h ₂	h ₃	H
ISO mm	32,0	3,5	18,5	18,2	54,6	91	-




Mat. Stal C45 E - UNI EN 10083-1

Z	De	Dp	1 - rzędowe			
			d	H	TULEJA	TYP
13	147,8	132,65	90	32	2012	1
14	157,8	142,68	90	32	2012	1
15	167,9	152,72	108	45	2517	1
16	177,9	162,75	108	45	2517	1
17	187,9	172,78	108	45	2517	1
18	198,0	182,85	108	45	2517	1
19	208,1	192,91	108	45	2517	1
20	218,1	202,98	108	45	2517	1
21	228,2	213,04	108	45	2517	1
22	238,3	223,11	108	45	2517	1
23	248,3	233,17	108	45	2517	1
24	258,4	243,23	108	45	2517	1
25	268,5	253,33	108	45	2517	1
27	288,6	273,40	150	51	3020	1
30	318,9	303,75	150	51	3020	1
38	399,6	384,49	160	51	3020	1
45	470,3	455,17	160	51	3020	1
57	591,5	576,36	160	51	3020	1
76	783,5	768,32	160	51	3020	1

KOŁA ŁAŃCUCHOWE POD TULEJĘ STOŻKOWĄ TAPER LOCK Z UTWARDZONYMI INDUKCYJNIE ZĘBAMI

Mat. Stal C45 E - UNI EN 10083-1



3/8" x 7/32" - 06 B R. 6,35

Z	De	Dp	1 - rzędowe			
			d	H	TULEJA	TYP
17	55,3	51,83	45	22	1008	1
18	58,3	54,85	45	22	1008	1
19	61,3	57,87	45	22	1008	1
20	64,3	60,89	46	22	1008	1
21	68,0	63,91	46	22	1008	1
22	71,0	66,93	50	22	1008	1
23	73,5	69,95	63	25	1210	1
24	77,0	72,97	63	25	1210	1
25	80,0	76,02	63	25	1210	1
26	83,0	79,02	63	25	1210	1
27	86,0	82,02	63	25	1210	1
28	89,0	85,07	63	25	1210	1
30	94,7	91,12	63	25	1210	1

1/2" x 5/16" - 08B R. 8,51

Z	De	Dp	1 - rzędowe			
			d	H	TULEJA	TYP
15	65,5	61,90	45	22	1008	1
16	69,5	65,10	50	22	1108	1
17	73,6	69,11	60	25	1210	1
18	77,8	73,14	60	25	1210	1
19	81,7	77,16	63	25	1210	1
20	85,8	81,19	71	25	1610	1
21	89,7	85,22	71	25	1610	1
22	93,8	89,24	71	25	1610	1
23	98,2	93,27	76	25	1610	1
24	101,8	97,29	76	25	1610	1
25	105,8	101,33	76	25	1610	1
26	110,0	105,36	76	25	1610	1
27	114,4	109,40	76	25	1610	1
28	118,0	113,42	90	32	2012	1
30	126,1	121,50	90	32	2012	1

5/8" x 3/8" - 10 B R. 10,16

Z	De	Dp	1 - rzędowe			
			d	H	TULEJA	TYP
13	73,0	66,32	47	22	1008	1
14	78,0	71,34	52	22	1108	1
15	83,0	76,36	60	25	1210	1
16	88,0	81,37	70	25	1610	1
17	93,0	86,36	71	25	1610	1
18	98,3	91,42	75	25	1610	1
19	103,3	96,45	75	25	1610	1
20	108,4	101,49	75	25	1610	1
21	113,4	106,52	76	25	1610	1
22	118,0	111,55	76	25	1610	1
23	123,4	116,58	76	25	1610	1
24	128,3	121,62	90	32	1610	1
25	134,0	126,66	90	32	2012	1
26	139,0	131,70	90	32	2012	1
27	144,0	136,75	90	32	2012	1
28	148,7	141,78	90	32	2012	1
30	158,8	151,87	90	32	2012	1

3/4" x 7/16" - 12B R. 12,07

Z	De	Dp	1 - rzędowe			
			d	H	TULEJA	TYP
13	87,5	79,59	60	25	1210	1
14	93,6	85,61	70	25	1610	1
15	99,8	91,63	70	25	1610	1
16	105,5	97,65	75	25	1610	1
17	111,5	103,67	76	25	1610	1
18	118,0	109,71	90	32	2012	1
19	124,2	115,75	90	32	2012	1
20	129,7	121,78	90	32	2012	1
21	136,0	127,82	102	45	2517	1
22	141,8	133,86	102	45	2517	1
23	149,0	139,90	108	45	2517	1
24	153,9	145,94	108	45	2517	1
25	160,0	152,00	108	45	2517	1
26	165,9	158,04	108	45	2517	1
27	172,3	164,00	108	45	2517	1
28	178,0	170,13	108	45	2517	1
30	190,5	182,25	108	45	2517	1

1" x 17/2" - 16 B R. 15,88

Z	De	Dp	1 - rzędowe			
			d	H	TULEJA	TYP
13	117,0	106,12	73	25	1610	1
14	125,0	114,15	76	25	1610	1
15	133,0	122,17	76	25	1610	1
16	141,0	130,20	90	32	2012	1
17	149,0	138,22	90	32	2012	1
18	157,0	146,28	108	45	2517	1
19	165,2	154,33	108	45	2517	1
20	173,2	162,38	108	45	2517	1
21	181,2	170,43	110	45	2517	1
22	189,3	178,48	110	45	2517	1
23	197,5	186,53	110	45	2517	1
24	205,5	194,59	110	45	2517	1
25	213,5	202,66	110	45	2517	1
26	221,6	210,72	110	45	2517	1
27	229,6	218,79	110	45	2517	1

1" 1/4 x 3/4" - 20B R. 19,05

Z	De	Dp	1 - rzędowe			
			d	H	TULEJA	TYP
13	147,8	132,65	90	32	2012	1
15	167,9	152,72	108	45	2517	1
17	187,9	172,78	108	45	2517	1
19	208,1	192,91	108	45	2517	1
21	228,2	213,04	108	45	2517	1
23	248,3	233,17	108	45	2517	1
25	268,5	253,33	108	45	2517	1
27	288,6	273,40	150	51	3020	1
30	318,9	303,75	150	51	3020	1